

Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name

Registration number (REACH)

Scheibenreiniger Fertigmischung, Ganzjahresqualität -25°C

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Cleaning agent Professional use Consumer use (private households)

1.3 Details of the supplier of the safety data sheet

FRIPOO Produkte AG Hüferen 8 8627 Grüningen Switzerland

Telephone: +41(0) 44 936 78 28 Telefax: +41(0) 44 935 21 89 e-mail: bruno.buergi@fripoo.ch Website: http://www.fripoo.ch/

Auskunftgebender Bereich

Abteilung Produktsicherheit: Herr Bruno Bürgi Tel + 41 44 936 78 28 e-mail: bruno.buergi@fripoo.ch

1.4 Emergency telephone number

Emergency information service

Tox Info Suisse Freiestrasse 16, CH-8032 Zürich CH-Notfallnummer: 145 (24 h) Auskunft: + 41 44 251 66 66 (Mo-Fr 8.00-17.00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Category	Hazard class and cat- egory	Hazard state- ment
2.6	flammable liquid	3	Flam. Liq. 3	H226

For full text of abbreviations: see SECTION 16.

The most important adverse physicochemical, human health and environmental effects The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

- Signal word warning
- Pictograms



number: GHS 2.0 s version of: 06.01.2022 ((GHS 1) Revision: 06.01.202
GHS02	
- Hazard statement	IS
H226	Flammable liquid and vapour.
- Precautionary sta	tements
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear protective gloves/eye protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water c shower.
P370+P378	In case of fire: Use carbon dioxide, powder extinguisher, water spray or alcohol resistant foam to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to hazardous or special waste collection point.

2.3 Other hazards

of no significance

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous ingredients acc. to GHS						
Identifier	Name of substance	Classification acc. to GHS	Pictograms	Wt%		
CAS No 67-63-0 EC No 200-661-7 Index No 603-117-00-0 REACH Reg. No 01-2119457558-25- xxxx	propan-2-ol	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319 STOT SE 3 / H336		5-<10		
CAS No 107-21-1 EC No 203-473-3 Index No 603-027-00-1 REACH Reg. No 01-2119456816-28- xxxx	ethanediol	Acute Tox. 4 / H302 STOT RE 2 / H373		1-<5		



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1)

Name of substance	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
ethanediol	-	-	500 ^{mg} / _{kg}	oral

Regulation 648/2004/EC on detergents

Constituents	Wt%
anionic surfactants	< 5 %

For full text of Hazard- and EU Hazard-statements: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, Alcohol resistant foam, BC-powder, Carbon dioxide (CO2)

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Revision: 06.01.2022



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Avoidance of ignition sources. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharge. Use only in well-ventilated areas. Due to danger of explosion, prevent leakage of vapours into cellars, flues and ditches. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools.

- Specific notes/details

Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Managing of associated risks

- Explosive atmospheres

Keep container tightly closed and in a well-ventilated place. Use local and general ventilation. Keep cool. Protect from sunlight.

- Flammability hazards

Keep away from sources of ignition - No smoking. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharge. Protect from sunlight.

Control of effects

Protect against external exposure, such as

- frost
- Ventilation requirements

Use local and general ventilation. Ground/bond container and receiving equipment.

- Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occup	Occupational exposure limit values (Workplace Exposure Limits)									
Coun- try	Name of agent	CAS No	Identi- fier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	 Ceiling-C [mg/m³]	Nota- tion	Source
СН	ethanediol	107-21-1	MAK	10	26	20	52		va, H	SUVA
СН	glycerine	56-81-5	MAK		50		100		i	SUVA
СН	2-propanol (isop- ropyl alcohol) (iso- propanol)	67-63-0	MAK	200	500	400	1.000			SUVA
EU	ethylene glycol	107-21-1	IOELV	20	52	40	104			2000/ 39/EC

Notation

re should not occur	
nich exposure should not occur and which is related to a 15-minute	e peri:
	ours
ed)	
nich exposure should not occur and which is related to a 15-minut t): measured or calculated in relation to a reference period of 8 hc ed)	



Г

Scheibenreiniger Fertigmischung, Ganzjahresqualität -25°C

Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

Biological limit values							
Country	Name of agent	Parameter	Notation	Identifier	Value	Source	
СН	2-propanol	acetone		BAT	25 mg/l	SUVA	
СН	2-propanol	acetone		BAT	25 mg/l	SUVA	

Relevant DNELs of components of the mixture							
		Protection goal, route of exposure	Used in	Exposure time			
propan-2-ol	67-63-0	DNEL	500 mg/m³	human, inhalatory	worker (industry)	chronic - systemic ef- fects	
propan-2-ol	67-63-0	DNEL	888 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects	
ethanediol	107-21-1	DNEL	35 mg/m³	human, inhalatory	worker (industry)	chronic - local effects	
ethanediol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic ef- fects	

Relevant PNECs o	Relevant PNECs of components of the mixture							
Name of substance	CAS No	Endpoint	Threshold level	Organism	Environmental compartment	Exposure time		
propan-2-ol	67-63-0	PNEC	140,9 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)		
propan-2-ol	67-63-0	PNEC	140,9 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)		
propan-2-ol	67-63-0	PNEC	2.251 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)		
propan-2-ol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)		
propan-2-ol	67-63-0	PNEC	552 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)		
propan-2-ol	67-63-0	PNEC	28 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)		
ethanediol	107-21-1	PNEC	10 ^{mg} / _l	aquatic organisms	freshwater	short-term (single in- stance)		
ethanediol	107-21-1	PNEC	1 ^{mg} / _l	aquatic organisms	marine water	short-term (single in- stance)		
ethanediol	107-21-1	PNEC	199,5 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single in- stance)		
ethanediol	107-21-1	PNEC	37 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single in- stance)		
ethanediol	107-21-1	PNEC	3,7 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single in- stance)		
ethanediol	107-21-1	PNEC	1,53 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single in- stance)		



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- Hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leaktightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- Protective gloves Type of material

IIR: isobutene-isoprene (butyl) rubber nitrile

- Other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	85 °C
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	2 vol% - 12 vol%
Flash point	32 °C
Auto-ignition temperature	412 °C
Decomposition temperature	not relevant



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1)

	pH (value)	7-9		
Kinematic viscosity		4,9 ^{mm²} / _s at 20 °C 33,1 ^{mm²} / _s at -15 °C		
	Solubility(ies)			
	Water solubility	miscible in any proportion		

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available
---	-----------------------------------

Vapour pressure	48 hPa at 20 °C
-----------------	-----------------

Density and/or relative density

Density	1,05 – 1,08 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available

not relevant (liquid)		
Other information		
there is no additional information		
Completely miscible with water.		
1,38 – 1,395 (20 °C)		
53,65 %		
46,12 %		
0,2215 %		
T2 (maximum permissible surface temperature on the equip- ment: 300°C)		

Revision: 06.01.2022

9.2



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

SECTION 10: Stability and reactivity

10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s). Risk of ignition.

If heated:

Risk of ignition

10.2 Chemical stability

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints to prevent fire or explosion

Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

10.5 Incompatible materials

Oxidisers

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance CAS No Exposure route ATE		ATE	
ethanediol	107-21-1	oral	500 ^{mg} / _{kg}

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Biodegradation

The relevant substances of the mixture are readily biodegradable. The surfactant contained in this preparation complies with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. The percentage total biodegradability of the surfactant is 100 %.

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Information on this property is not available.

12.7 Other adverse effects

Data are not available.



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste treatment-relevant information

Solvent reclamation/regeneration.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

List of wastes

- Product	
Code	Verordnung des UVEK über Listen zum Verkehr mit Abfällen (SR 814.610.1)
20 01 29	detergents containing hazardous substances

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1987
	IMDG-Code	UN 1987
	ICAO-TI	UN 1987
14.2	UN proper shipping name	
	ADR/RID/ADN	ALCOHOLS, N.O.S.
	IMDG-Code	ALCOHOLS, N.O.S.
	ICAO-TI	Alcohols, n.o.s.
	Technical name (hazardous ingredients)	propan-2-ol
14.3	Transport hazard class(es)	
	ADR/RID/ADN	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

14.8.2 Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Particulars in the transport document	UN1987, ALCOHOLS, N.O.S., (propan-2-ol, solu- tion), 3, III, (D/E)
Classification code	F1
Danger label(s)	3
3	
Special provisions (SP)	274, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
Danger label(s)	3





Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations (Switzerland)

Ordinance on the incentive tax on volatile organic compounds (VOCV)

VOC content (object of taxation): 9,756 %

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-rel- evant
9.1	Kinematic viscosity: 4,9 ^{mm²} / _s at 20 °C 33,1 cSt at -15 °C	Kinematic viscosity: 4,9 ^{mm²} / _s at 20 °C 33,1 ^{mm²} / _s at -15 °C	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC	
Acute Tox.	Acute toxicity	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Eye Dam.	Seriously damaging to the eye	

Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1)

Abbr.	Descriptions of used abbreviations
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SUVA	Grenzwerte am Arbeitsplatz, Suva
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture. Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Revision: 06.01.2022



Version number: GHS 2.0 Replaces version of: 06.01.2022 (GHS 1) Revision: 06.01.2022

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H373	May cause damage to organs through prolonged or repeated exposure.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.